



ME121

CATALOG CARD

Our innovative device provides irreplaceable support in access control in places with the highest level of security inside buildings. This advanced device offers expanded capabilities, adapting to the various needs of users.

WWW.MAIRSEUROPE.EU

Example Applications:



Ticket Control and Authorization Management



Securing State Institutions



Air and Sea Transport



Checkpoints For Staff




Access Control and Working Time Records



Culture and Entertainment Sector

Information:




Length: 1200 mm
Width: 280 mm
Height: 980 mm
Passage width: 550 mm
Power supply: 110V/220V 50/60Hz
24V power supply
Voltage: AC (100-240)V, 50/60HZ;

36 kg

Functions:




PASSAGE SPEED: 35 PEOPLE/MIN



DROOPING SHOULDERS
AUTOMATIC RETURN OF ARMS IN
CASE OF POWER LOSS



BIDIRECTIONAL INPUT-OUTPUT
OPERATION



SERVO DRIVE ASSISTING THE
TRANSITION



Anti-panic function



FULL AUTO



IP 42-54



POSSIBILITY OF EXPANSION
ACCORDING TO THE CUSTOMER



NUMBER OF CYCLES
BEFORE FAILURE: 5,000,000
(MCBF)

OPTIONS:

Possibility to install additional devices (crossing counter, biometric and RFID proximity readers, coin acceptor, evacuation buttons, barcode and QR readers)

Radio Controller (Wireless)

Cable remote control

LED display

Possibility of outdoor installation

Possibility to install a battery






Available finishing options:


STAINLESS STEEL, RAL 304
GRIND



RAL 9005 FINISH:




RAL 9003 COLOR FINISH



RAL 6002 COLOR FINISH



RAL 7016 FINISH



RAL 3020 COLOR FINISH



Dimensions:

