



# ME115

CATALOG CARD

Our innovative device provides irreplaceable support in access control in places with the highest level of security inside buildings. This advanced device offers expanded capabilities, adapting to the various needs of users.



## **ME115**

Information:

### **Example Applications:**



**Ticket Control and Authorization** Management



**Securing State Institutions** 



Length: 1200 mm Width: 280 mm Height: 980 mm Passage width: 550 mm Power supply: 110V/220V 50/60Hz 24V power supply Voltage: AC (100-240)V, 50/60HZ;



Air and Sea Transport





**Culture and Entertainment** Sector





#### **Functions:**



PASSAGE SPEED: 35 PEOPLE/MIN

**BIDIRECTIONAL INPUT-OUTPUT** 

**OPERATION** 


**Anti-panic function** 

**DROOPING SHOULDERS AUTOMATIC RETURN OF ARMS IN CASE OF POWER LOSS** 





SERVO DRIVE ASSISTING THE **TRANSITION** 





**FULL AUTO** 






IP 42-54



**POSSIBILITY OF EXPANSION ACCORDING TO THE CUSTOMER** 



**NUMBER OF CYCLES** BEFORE FAILURE: 3,000,000 (MCBF)

#### **OPTIONS:**


Possibility to install additional devices (crossing counter, biometric and RFID proximity readers, coin acceptor, evacuation buttons, barcode and QR readers) Radio Controller (Wireless) Cable remote control **LED** display

Possibility of outdoor installation Possibility to install a battery





## **Available finishing options:**



### **Dimensions:**

