

CP-310

CATALOG CARD

Our innovative device provides irreplaceable support in access control in places with the highest level of security inside buildings. This advanced device offers expanded capabilities, adapting to the various needs of users.

CP-310

Example Applications:



Ticket Control and Authorization Management



Securing State Institutions



Goal length: 168 mm Goal height: 1050 mm Passage width: 600-900 mm Power supply: 110V/220V 50/60Hz 24V power supply

Information:



Air and Sea Transport

Access Control and Working Time

Records



Checkpoints For Staff



Culture and Entertainment Sector







TRANSITION SPEED 35 PEOPLE/MIN



AUTOMATIC CALIBRATION



NUMBER OF CYCLES BEFORE FAILURE: 5,000,000 (MCBF)





BIDIRECTIONAL INPUT-OUTPUT OPERATION



SERVO DRIVE MECHANISM





CROSSING FOR DISABLED PEOPLE

OPTIONS

Possibility to install additional devices (crossing counter, biometric and RFID proximity readers, coin acceptor, evacuation buttons, barcode and QR readers) Radio Controller (Wireless) Cable remote control

LED display Possibility to install a battery



ANTI-PANIC FUNCTION






POSSIBILITY OF EXPANSION ACCORDING TO THE CUSTOMER





Available finishing options:



Goal Dimensions

